AUTHOR INDEX

Abrams T. E., see Gammon E. A., 531
Ad-El D., see Benmeir P., 450
Alexander D. A., Burn victims after a major disaster: reactions of patients and their care-givers, 105
Alonso P. E., see Rioja L. F., 220
Alonso P., see Rioja L. F., 198
Ängquist K.-A., see Lindahl O. A., 479
Antebi D., The psychiatrist on the burns unit, 43
Armato U., see Wu J., 289
Auger F. A., see Germain L., 99
Ayan F., see Çetinkale O., 215
Backstein R., Peters W. and Neligan P., Burns in the disabled, 192
Balakrishnan C., Greer K. A., Tse K. G. and Hardaway M. Y., Specific pattern burn in a psychiatric patient, 439
Barisoni D., see Wu J., 289
Becker D. G., Himel H. N., Nicholson W. D. and Edlich R. F., Salvage of a patient with burn inhalation injury and pancreatitis, 444
Belcher K., see Still J. M. Jr, 434
Bellian, K. T., see Moghtader J. C., 441
Ben Meir P., see Eldad A., 235
Benmeir P., Lusthaus S., Ad.-El D., Neuman A., Moor E. V., Weinberg A., Eldad A. and Wexler, Very deep burns of the hand due to low voltage electrical laboratory equipment: a potential hazard for scientists, 450
Benmeir P., Lusthaus S., Weinberg A., Neuman A., Eldad A. and Wexler M. R., Chemical burn due to contact with soda lime on the playground: a potential hazard for football players, 358
Biswas G., see Srivastava J. L., 138
Björk L. and Svensson H., Upper airway obstruction – an unusual complication following a minor scalding injury, 85
Black M. J. M., see Niazi Z. B. M., 485
Bouillon B., see Lechleuthner A., 153
Bouvard V., see Germain L., 99
Brown M., see Zapata-Sirvent R. L., 302
Budny P. G., Regan P. J. and Roberts A. H. N., The estimation of blood loss during burns surgery, 134
Burke J. F., see Carter E. A., 475
Burns B. F., McCauley R. L., Murphy F. L. and Robson M. C., Reconstructive management of patients with greater than 80 per cent TBSA burns, 429
Burvin R., see Milo Y., 352
Cadier M. A. and Clarke J. A., Ecstasy and Whizz at a rave resulting in a major burn plus complications, 239
Cai B.-R., see Xiao J., 232
Carrier L., see Germain L., 99
Carter E. A., Khalid, M. A., Burke J. F. and Tompkins R. G., Absence of change in hepatic lactate metabolism after burn injury, 475
Çetinkale O., see Mindikoğlu A. N., 70
Çetinkale O., Senyuva C., Ayan F., Cokneseli B. and Pusane A., An alternative treatment of massive burns: skin allografts and cyclosporin immunosuppression without severe additional depression of cell-mediated immunity in an animal model, 215
Chai C.-Y., see Lin S.-D., 208
Chen, K.-M., see Wang, X.-M., 110
Chou C.-K. see Lai C.-S., 73
Cou C.-K., see Lin S.-D., 208
Clark W. R., see Feldbaum D. M., 396
Clarke J. A., see Cadier M. A., 239
Coady M., see Harris N., 415
Cocke W. M. Jr and Tomlinson J. A., Malignant fibrous histiocytoma developing in burn scar of the ear, 241
Cokneseli B., see Çetinkale O., 215
Davies M. P. and Ward D. J., Long-term gastrointestinal problems in burns patients, 423
Davies M., see Jayaraman V., 339
Davis J. B., see Mullins R. F., 174
de Haro J., see Rioja L. F., 198
de Haro J., see Rioja L. F., 220
de Jonge L., see Garrel D. R., 467
de la Cruz J., see Rioja L. F., 198
de la Cruz J., see Rioja L. F., 220
Demun E. M., see Moghtader J. C., 441
Deodhar L. P., see Pandit D. V., 52
Dev G., see Pandit S. K., 227
Dickson W. A., see Vanstraelen P. M., 244
Donati L., Scamazzo F., Gervasoni M., Magliano A., Stankov B. and Fraschini F., Infection and antibiotic therapy in 4000 burned patients treated in Milan, Italy, between 1976 and 1988, 345
Dong, Y.-L., Ko, F., Yan T., Huang H.-Q., Herndon D. N. and Waymack J. P., Evidence for Kupffer cell activation by burn injury and pseudomonas exotoxin A., 12
Dore C. A., see Grayson L. S., 401
Duminy F. J. and Hudson D. A., Assault inflicted by hot water, 426
Dunn K. W., see Hurren J. S., 522
Dye D. J., Requirements for cross-matched blood in burns surgery, 524
Edlich R. F., see Jones K. C., 159
Edlich R. F., see Moghtader J. C., 441
Edlich R. F., see Becker D. G., 444
Eldad A., see Benmeir P., 358
Eldad A., see Benmeir P., 450
Eldad A., Stern Z., Sover H., Neuman R., Ben Meir P. and Wexler M. R., The cost of an extensive burn survival, 235
Endo S., Inada K., Yamada Y., Kasai T., Takakuwa T., Nakae H., Kikuchi M., Hoshi S., Suzuki M., Yamashita H. and Yoshida M. Plasma tumour necrosis factor-α (TNF-α) levels in patients with burns, 124
Essex, T. J. H., see Niazi Z. B. M., 485
Fang R.-H., see Ma S., 83
Feldbaum D. M., Wormuth D., Nieman G. F., Paskanik M., Clark W. R. and Hakim T. S., Exosurf treatment following wood smoke inhalation, 396
Forjuoh S. N. and Smith G. S., Case-fatality rates by body part affected and trends in hospitalized burns in Maryland, 1981–90, 387
Fortier K., see Lewandowski R., 513
Frame J. D., see Khan J. I., 249
Fraschini F., see Donati L., 345
Fumiiri M., see Hyakusoku H., 168
Gammon E. A. and Abrams T. E., Burn survivors and the Americans with Disabilities Act, 531
Gao, J.-H., see Hyakusoku H., 168
Garg A. K., see Jain M. L., 166
Garg S., see Yadav J. K., 306
Garniek A., see Klein, D., 447
Garrel D. R. and de Jonge L., Thermogenic response to feeding in severely burned patients: relation to resting metabolic rate, 467
Germain L., Rouabhia M., Guignard R., Carrier L., Bouvard V. and Auger F. A., Improvement of human keratinocyte isolation and culture using thermolysin, 99
Gervasoni M., see Donati L., 345
Glicksman A., see Milo Y., 352
Gómez-Cía T., and Roa L., A burn patient resuscitation therapy designed by computer simulation (BET). Part 2: Initial clinical validation, 332
Gómez-Cía T., see Roa L., 324
Gore M. A., see Pandit D. V., 52
Grayson L. S., Hansbrough J. F., Zapata-Sirvent R. L., Dore C. A., Morgan J. L. and Nicolson M. A., Quantitation of cytokine levels in skin graft donor site wound fluid, 401
Green D., Law E. and Still J. M., An approach to the management of toxic epidermal necrolysis in a burn centre, 411
Greenleaf G., see Zapata-Sirvent R. L., 302
Greer K. A., see Balakrishnan C., 439
Guignard R., see Germain L., 99
Gunji H., see Ono I., 202
Gunji H., see Ono I., 283
Gupta M., Gupta O. K., Yaduvanshi R. K. and Upadhyaya J., Burn epidemiology: the Pink City scene, 47
Gupta O. K., see Gupta M., 47
Haase R. R., see Paustian P. W., 187
Hædersal M., Poulsen T. and Wulf H. C., Side effects of laser therapy, modified by ultraviolet irradiation and *para*-aminobenzoic acid in mice, 113
Hakim T. S., see Feldbaum D. M., 396
Hansbrough J. F., see Zapata-Sirvent R. L., 302
Hansbrough J. F., see Grayson L. S., 401
Hansbrough J. F., see Zapata-Sirvent, Ramon L., 5
Har-Shai Y., see Peled I. J., 90
Harada H., see Ono I., 202
Hardaway M. Y., see Balakrishnan C., 439
Harris A., see Tiernan E., 437
Harris N., Coady M. and Wilson Y., Scalds related to bleeding domestic heating radiators, 415
Hasegawa T., see Ono I., 202
Hata Y., see Yano K., 320
Hauben D. J., see Milo Y., 352
Hermans R. P., see Kreis R. W., 142
Herndon D. N., see Dong Y.-L., 12
Herruzo-Cabrera R., see Vizcaino-Alcaide M. J. 392
Hillier V. F., see Mason S. A., 501
Hillier V. F., see Mason S. A., 507
Himel H. N., see Jones K. C., 159
Himel H. N., see Moghtader J. C., 441
Himel H. N., see Becker D. G., 444
Hoekstra M. J., see Kreis R. W., 142
Holzki J., see Lechleuthner A., 153
Hoshi S., see Endo S., 124
Huang H.-Q., see Dong Y.-L., 12
Hudson D. A., see Duminy F. J., 426
Hurren J. S. and Dunn K. W., Entrapment against radiators: an underestimated burn hazard to the elderly, 522
Hyakusoku H., Takizawa Y., Murakami M., Gao, J.-H., Takekoshi A. and Fumiiri M., Versatility of the free or pedicled superficial cervical artery skin flaps in head and neck burns, 168
Inada K., see Endo S., 124
Iregbulem L. M. and Nnabuko B. E., Epidemiology of childhood thermal injuries in Enugu, Nigeria, 223
Ito O., see Yano K., 320
Jain M. L. and Garg A. K., Burns with pregnancy – a review of 25 cases, 166
Järnberg J., see Zeitlin R., 418
Jayaraman V., Ramakrishnan K. M. and Davies M., Burns in Madras, India: an analysis of 1368 patients in 1 year, 339
Jones K. C., Himel H. N., Towler M. A., Thacker J. G. and Edlich R. F., New advances in automatic disposable rotating cartridge skin staplers, 159
Kaneko F., see Ono I., 202
Kaneko F., see Ono I., 283
Kasai T., see Endo S., 124
Kaul A., see Pandit S. K., 227
Khalid M. A., see Carter E. A., 475
Khan J. I. and Frame J. D., Koebner's phenomenon in burns: another complication following thermal injury, 249
Kikuchi M., see Endo S., 124
Klein D., Moshkovitz Y., Lipin I., Shvurun A., Garniek A. and Tzur H., Arterial embolization in the treatment of Curling's ulcer bleeding in a burn patient, 447
Ko F., see Dong Y.-L., 12

© 1993 Butterworth-Heinemann Ltd
0305–4179/93/060553–05

Srivastava J. L., Biswas G., Narayan R. P. and Goel A., Chronically exposed calvarium following electrical burns, 138
Stankov B., see Donati L., 345
Steinsapir S., see Zapata-Sirvent R. L., 302
Stephen F. R. and Murray J. P., Prevention of hot tap water burns – a comparative study of three types of automatic mixing valve, 56
Stern Z., see Eldad A., 235
Stewart K. J. and Pape S. A., Letter to the Editor: 'Pop Tarts' – so hot they scald, 541
Still J. M. Jr, Belcher K. and Law E. J., Experience with polymicrobial sepsis in a regional burn unit, 434
Still J. M., see Mullins R. F., 174
Still J. M., see Green D., 411
Still J. M., Law E. J., Pereira G. I. and Singletary E., Invasive burn wound infection due to *curvularia* species, 77
Sugawara K., see Sawada Y., 529
Sutton G., Entry to the burns team: stressors, supports and coping strategies, 349
Suzuki M., see Endo S., 124
Suzuki M., see Ono I., 283
Svensson H., see Björk L., 85
Takakuwa T., see Endo S., 124
Takekoshi A., see Hyakusoku H., 168
Takizawa Y., see Hyakusoku H., 168
Tamir G., see Milo Y., 352
Tan I., see Tan K. K., 360
Tan K. K., Lee J. K., Tan I. and Sarvesvaran R., Acquired tracheo-oesophageal fistula following tracheal intubation in a burned patient, 360
Teasdale B., Sieber V. K., Riches D. J. and Nanchahal J., Cryopreservation of cultured dermal fibroblast impregnated collagen gels, 406
Thacker J. G., see Jones K. C., 159
Tiernan E. and Harris A., Butter in the initial treatment of hot tar burns, 437
Tomera J. F. and Lilford K., Multivariate influence of inositol phosphates on cAMP: interrelationships between signal transduction mechanisms in burn trauma, 313
Tomera J. F., Lilford K. and Kukulka S. P., Changes in diaphragm polyinositol phosphates caused by a large body surface area burn, 35
Tomera J. F., Kukulka S. P. and Lilford K., Myocardial [3H]polyinositol phosphates and their response to burn trauma, 379
Tomkins R. G., see Sheridan R. L., 63
Tomlinson J. A., see Cocke W. M. Jr, 241
Tompkins R. G., see Carter E. A., 475
Towler M. A., see Jones K. C., 159
Tsai C.-W., see Lai C.-S., 73
Tse K. G., see Balakrishnan C., 439
Tsur H., see Lippin Y., 246
Tzur H., see Klein D., 447
Ullman Y., see Peled I. J., 90
Upadhyaya J., see Gupta M., 47
Valero Gasalla J., Vazquez Barro A., Pousa Real F. and Martelo Villar F., Acute colonic pseudo-obstruction in a burn patient, 538
Vanstraelen P. M., Sonneborn C. K. and Dickson W. A., Free flap necrosis: a self-inflicted burn, 244
Vazquez Barro A., see Valero Gasalla J., 538
Vizcaino-Alcaide M. J., Herruzo-Cabrera R. and Rey-Calero J., Efficacy of a broad spectrum antibiotic (mupirocin) in an *in vitro* model of infected skin, 392
Vloemans A. W. F. P., see Kreis R. W., 142
Vogtová D., see Matoušková E., 118
Waller A. E. and Marshall S. W., Childhood thermal injuries in New Zealand resulting in death and hospitalization, 371
Wang S.-L., see Xie W.-G., 146
Wang X.-M., Yang L. and Chen K.-M., Catecholamines: important factors in the increase of oxidative phosphorylation coupling in rat-liver mitochondria during the early phase of burn injury, 110
Wang Y., see Zhu Z.-X., 80
Ward D. F., see Paustia P. W., 187
Ward D. J., see Davies M. P., 423
Watson S. B. and Miller J. G., Optimizing skin graft take in children's hand burns: the use of silastic foam dressings, 519
Waymack J. P., see Dong, Y.-L., 12
Weinberg A., see Benmeir P., 358
Weinberg A., see Benmeir P., 450
Wexler M. R., see Eldad A., 235
Wexler M. R., see Benmeir P., 358
Wexler M. R., see Benmeir P., 450
Whitehead N. J., see Marsh D. F., 542
Willis-Galstaun B. A., see Linares H. A., 17
Wilson Y., see Harris N., 415
Wormuth D., see Feldbaum D. M., 396
Wright A., MacKechnie D. W. M. and Paskins J. R., Management of partial thickness burns with Granuflex 'E' dressings, 128
Wu J., Barisoni D., Menapace L., Ribecco M. and Armato U., A novel approach to extend the survival of skin xenografts without entailing general immunosuppression or systemic toxicity, 289
Wulf H. C., see Hædersal M., 113
Xiao J., Cai B.-R. and Zhao X.-H., Specificity and treatment of thermal and inhalation injury following an explosion in a cement manufacturing kiln, 232
Xie W.-G., Li A(N) and Wang, S.-L., Estimation of the calorie requirements of burned Chinese adults, 146
Xue J.-Z., see Zhou Y.-P., 150
Yadav J. K., Singhvi A. M., Kumar N. and Garg S., Topical phenytoin in the treatment of split-thickness skin autograft donor sites: a comparative study with polyurethane membrane drape and conventional dressing, 306
Yaduvanshi R. K., see Gupta M., 47
Yaffe B., see Lippin Y., 246
Yamada Y., see Endo S., 124
Yamashita et al. H, see Endo, S., 124
Yan T., see Dong Y.-L., 12
Yang L., see Wang X.-M., 110
Yano K., Hata Y., Matsuka K., Ito O. and Matsuda H., Experimental study on alkaline skin injuries – periodic changes in subcutaneous tissue pH and the effects exerted by washing, 320
Yip S. P. and Lewis W. H. P., No association found between C3 alleles and scar hypertrophy, 297
Yotsuyanagi T. and Sawada Y., Expanding oral plastic splint for burn patients, 131
Yu D. C., see Zhu Z.-X., 80
Zapata-Sirvent R. L., see Grayson L. S., 401
Zapata-Sirvent R. L., Hansbrough J. F., Steinsapir S., Greenleaf G. and Brown M., Effect of corticotropin releasing factor (CRF) on acid–base alterations and bacterial translocation in a murine model of thermal injury, 302
Zapata-Sirvent R. L. and Hansbrough J. F., Temporal analysis of human leucocyte surface antigen expression and neutrophil respiratory burst activity after thermal injury, 5
Zarger H. U., see Pandit S. K., 227
Zdolsek J., see Lindahl O. A., 479
Zeitlin R., Somppi E. and Järnberg J., Paediatric burns in Central Finland between the 1960s and the 1980s, 418
Zhao L., see Zhu Z.-X., 80
Zhao X.-H., see Xiao J., 232
Zhou Y.-P., Zhou Z.-H. and Xue J.-Z., Burns complicated with gastrointestinal haemorrhage: an analysis of 70 cases, 150
Zhou Z.-H., see Zhou Y.-P., 150
Zhu Z.-X., Yu D. C., Wang Y. and Zhao L., Successful treatment of a severe electrical injury involving the stomach, 80
Zwas S. T., see Lippin Y., 246

The Editor and Publishers of *Burns* would like to thank the following referees for their help and advice in assessing manuscripts submitted to the Journal during 1993: N. Aikawa (Japan), A. Andrews (UK), G. Arturson (Sweden), G. Babcock (USA), D. Barisoni (Italy), A. M. Baruchin (Israel), N. BenHur (Israel), J. A. Boswick (USA), J. M. Brown (UK), F. T. Caldwell (USA), D. S. Chedekel (USA), P. Cianci (USA), L. Donati (Italy), C. Echinard (France), A. Eldad (Israel), J. Frame (UK), D. M. Heimbach (USA), P. Helm (USA), R. Hermans (Holland), R. Hettich (Germany), I. A. Holder (USA), K. Judkins (UK), A. M. Khan (USA), J. Kearney (UK), J. Kinsella (UK), J. C. Lawrence (UK), H. A. Linares (USA), J. A. J. Martyn (USA), J. A. Marvin (USA), E. McLoughlin (USA), J. P. Masterton (Australia), R. W. S. Miller (UK), W. W. Monafo (USA), A. M. Munster (USA), C. K. Ogle (USA), S. P. Pegg (Australia), S. Qaryouke (Saudi Arabia), J. P. Remensnyder (USA), A. M. Rossignol (USA), J. A. D. Settle (UK), P. G. Shakespeare (UK), R. Sheehan-Dare (UK), B. Sparkes (Canada), A. B. Sutherland (UK), J. P. Waymack (USA), T. Yukioka (Japan), B. E. Zawacki (USA).

Königová R., see Matoušková E., 118
Kreis R. W., Mackie D. P., Vloemans, A. W. F. P., Hermans R. P. and Hoekstra M. J., Widely expanded postage stamp skin grafts using a modified Meek technique in combination with an allograft overlay, 142
Kudo M., see Sawada Y., 529
Kukulka S. P., see Tomera J. F., 35
Kukulka S. P., see Tomera J. F., 379
Kumar N., see Yadav J. K., 306
Kumar P., Letter to Editor: Burns depth index and classification of burns casualties, 252
Lai C.-S., see Lin S.-D., 208
Lai C.-S., Lin S.-D., Chou C.-K. and Tsai C.-W., Clinical application of adipofascial turn-over flaps for burn wounds, 73
Larson D. L., see Linares H. A., 17
Law E. J., see Still J. M., 77
Law E. J., see Mullins R. F., 174
Law E. J., see Still J. M. Jr, 434
Law E., see Green D., 411
Lechleuthner A., Schmidt-Bardo A., Bouillon B., Perbix W., Holzki J. and Spilker G., Prehospital care of burns: an analysis of 3 years use of the emergency physician system (EPS) Cologne, 153
Lee J. K., see Tan K. K., 360
Lewandowski R., Pegg S., Fortier K. and Skimmings A., Burn injuries in the elderly, 513
Lewis W. H. P., see Yip S. P., 297
Li A(N), see Xie W.-G., 146
Li Y.-Y. and Liu Y., Analysis of 155 patients with chemical injury: a 5-year experience, 516
Lilford K., see Tomera J. F., 35
Lilford K., see Tomera J. F., 313
Lilford K., see Tomera J. F., 379
Lin S.-D., see Lai, C.-S., 73
Lin S.-D., Chai C.-Y., Lai C.-S. and Chou, C.-K., Allogeneic microskin grafting of rabbits' skin wounds, 208
Linares H. A., Larson D. L. and Willis-Galstaun B. A., Historical notes on the use of pressure in the treatment of hypertrophic scars or keloids, 17
Lindahl O. A., Zdolsek J., Sjöberg F. and Ängquist K.-A., Human postburn oedema measured with the impression method, 479
Lipin I, see Klein D., 447
Lippin Y., Shvoron A., Yaffe B., Zwas S. T. and Tsur H., Postburn peroneal nerve palsy – a report of two consecutive cases, 246
Little R. A., see Martineau L., 26
Liu Y., see Li Y.-Y., 516
Logan M. A., Electrical burns caused by fishing rod contact with overhead electric cables: a potential hazard to fishermen, 535
Lusthaus S., see Benmeirver P., 358
Lusthaus S., see Benmeir P., 450
Ma S. and Fang R.-H., Iatrogenic bilateral femoral mycotic aneurysms: a case report following burns, 83
MacKechnie D. W. M., see Wright A., 128
Mackie D. P., see Kreis R. W., 142
Magliano A., see Donati L., 345
Malla C. N., see Pandit S. K., 227
Marsh D. F., Whitehead N. J., Meiklereid N. S. and Smith G. B., Letter to the Editor: ECG monitoring in severely burned patients: a simple solution, 542
Marshall S. W., see Waller A. E., 371
Martelo Villar F., see Valero Gasalla J., 538
Martineau L., Little R. A., Rothwell N. J. and Fisher M. I., Clenbuterol, a β_2-adrenergic agonist, reverses muscle wasting due to scald injury in the rat, 26
Maruyama K., see Ono I., 283
Mason S. A., Young, scarred children and their mothers: a short-term investigation into the practical, psychological and social implications of thermal injury to the pre-school child. Part I: implications for the mother, 495
Mason S. A. and Hillier V. F., Young, scarred children and their mothers: a short-term investigation into the practical, psychological and social implications of thermal injury to the pre-school child. Part II: implications for the child, 501
Mason S. A. and Hillier V. F., Young, scarred children and their mothers: a short-term investigation into the practical, psychological and social implications of thermal injury to the pre-school child. Part III: factors influencing outcome, 507
Matoušková E., Vogtová D. and Königová R., A recombined skin composed of human keratinocytes cultured on cell-free pig dermis, 118
Matsuda H., see Yano K., 320
Matsuka K., see Yano K., 320
Matsuzaki M., see Ono I., 202
McAllister R. M. R., Mercer N. S. G., Morgan B. D. G. and Sanders R., Early diagnosis of staphylococcal toxaemia in burned children, 22
McCauley R. L., see Burns B. F., 429
McLean N. R., see Niazi Z. B. M., 485
McPherson J. C., III, see Paustian P. W., 187
McPherson J. C., Jr, see Paustian P. W., 187
Meiklereid N. S., see Marsh D. F., 542
Menapace L., see Wu J., 289
Mercer N. S. G., see McAllister R. M. R., 22
Miller J. G., see Watson S. B., 519
Milo Y., Robinpour M., Glicksman A., Tamir G., Burvin R. and Hauben D. J., Epidemiology of burns in the Tel Aviv area, 352
Mindikoğlu A. N. and Çetinkale O., Prolonged allograft survival in a patient with extensive burns using cyclosporin, 70
Moghtader J. C., Himel H. N., Demun E. M., Bellian K. T. and Edlich R. F., Electrical burn injuries of workers using portable aluminium ladders near overhead power lines, 441
Moir G. C., Letter to Editor: Early diagnosis of staphylococcal toxaemia, 251
Moor E. V., see Benmeir P., 450
Morgan B. D. G., see McAllister R. M. R., 22
Morgan J. L., see Grayson L. S., 401
Moshkovitz Y., see Klein D., 447
Mullins R. F., Still J. M., Savage J., Davis J. B. and Law E. J., Osteomyelitis of the spine in a burn patient due to *Candida albicans*, 174
Murakami M., see Hyakusoku H., 168
Murphy F. L., see Burns B. F., 429
Murray J. P., see Stephen F. R., 56
Nakae H., see Endo S., 124
Nanchahal J., see Teasdale B., 406
Narayan R. P., see Srivastava J. L., 138
Neligan P., see Backstein R., 192
Neuman A., see Benmeir P., 358
Neuman A., see Benmeir P., 450
Neuman R., see Eldad A., 235
Nguyen T. H., see Paustian P. W., 187
Niazi Z. B. M., Essex T. J. H., Papini R., Scott D., McLean N. R. and Black M. J. M., New laser doppler scanner: a valuable adjunct in burn depth assessment, 485
Nicolson W. D., see Becker D. G., 444
Nicolson M. A., see Grayson L. S., 401
Nieman G. F., see Feldbaum D. M., 396
Nnabuko B. E., see Iregbulem L. M., 223
Ohkubo T., see Sawada Y., 529
Ono I., Gunji H., Hasegawa T., Harada H., Kaneko F. and Matsuzaki M., Effects of a platelet activating factor antagonist on oedema formation following burns, 202
Ono I., Gunji H., Maruyama K., Suzuki M. and Kaneko F., Studies of tissue cultured sliced dermis as a skin substitute, 283
Pandit D. V., Gore M. A., Saileshwar N. and Deodhar L. P., Laboratory data from the surveillance of a burns ward for the detection of hospital infection, 52
Pandit S. K., Malla, C. N., Zarger H. U., Kaul A. and Dev. G., A study of bone and joint changes secondary to burns, 227
Pape S. A., see Stewart K. J., 541
Papini R., see Niazi Z. B. M., 485
Paskanik M., see Feldbaum D. M., 396
Paskins J. R., see Wright A., 128
Paustian P. W., McPherson J. C., III, Haase R. R., Runner R. R., Plowman K. M., Ward D. F., Nguyen T. H. and McPherson J. C. Jr, Intravenous Pluronic F-127 in early burn wound treatment in rats, 187
Pegg S. P., see Lewandowski R., 513
Peled I. J., Har-Shai Y. and Ullman Y., Letter to the Editor: Fluorescein and burn depth, 90
Perbix W., see Lechleuthner A., 153
Pereira G. I., see Still J. M., 77
Peters W., see Backstein R., 192
Plowman K. M., see Paustian P. W., 187
Poulsen T., see Hædersal M., 113
Pousa Real F., see Valero Gasalla J., 538
Pusane A., see Çetinkale O., 215
Ramakrishnan, K. M., see Jayaraman V., 339
Redondo A., see Rioja L. F., 220
Regan P. F., see Budny P. G., 134
Regan P. J., see Shergill G., 229
Rey-Calero J., see Vizcaino-Alcaide M. J., 392
Ribecco M., see Wu J., 289
Riches D. J., see Teasdale B., 406
Rioja L. F., Alonso P., de Haro J. and de la Cruz J., Prognostic value of the CD4/CD8 lymphocyte ratio in moderately burned patients, 198
Rioja L. F., Alonso P. E., Soria M. D., Redondo A., de la Cruz J. and de Haro J. Incidence of ember burns in Andalusia (Spain), 220
Roa L. and Gómez-Cía T., A burn patient resuscitation therapy designed by computer simulation (BET). Part 1: simulation studies, 324
Roa L., see Gomez-Cia T., 332
Roberts A. H. N., see Budny P. G., 134
Roberts A. H. N., see Shergill G., 229
Robinpour M., see Milo Y., 352
Robson M. C., see Burns B. F., 429
Rothwell N. J., see Martineau L., 26
Rouabhia M., see Germain L., 99
Runner R. R., see Paustian P. W., 187
Ryan C. M., see Sheridan R. L., 63
Saileshwar N., see Pandit D. V., 52
Saini J. S. and Sharma A., Ocular chemical burns – clinical and demographic profile, 67
Sanders R., see McAllister R. M. R., 22
Sarvesvaran R., see Tan K. K., 360
Savage J., see Mullins R. F., 174
Sawada Y., see Yotsuyanagi T., 131
Sawada Y., Ohkubo T., Kudo M. and Sugawara K., Concentration of orally administered antimicrobial agent in burn scar tissue, granulation tissue, normal skin and serum, 529
Scamazzo F., see Donati L., 345
Scerri G. V., see Shergill G., 229
Schmidt-Bardo A., see Lechleuthner A., 153
Scott D., see Niazi Z. B. M., 485
Senyuva C., see Çetinkale O., 215
Shakespeare P. G., Who should lead the burn care team?, 490
Sharma A., see Saini J. S., 67
Shergill G., Scerri G. V., Regan P. J. and Roberts A. H. N., Burn injuries in boating accidents, 229
Sheridan R. L., Ryan, C. M. and Tomkins R. G., Acute adrenal insufficiency in the burn intensive care unit, 63
Shvoron A., see Lippin Y., 246
Shvurun A., see Klein D., 447
Sieber V. K., see Teasdale B., 406
Singhvi A. M., see Yadav J. K., 306
Singletary E., see Still J. M., 77
Sjöberg F., see Lindahl O. A., 479
Skimmings A., see Lewandowski R., 513
Smahel J., The problem of dehydration and healing of burn wounds, 511
Smith G. B., see Marsh D. F., 542
Smith G. S., see Forjuoh S. N., 387
Somppi E., see Zeitlin R., 418
Sonneborn C. K., see Vanstraelen P. M., 244
Soria M. D., see Rioja L. F., 220
Sover H., see Eldad A., 235
Spilker G., see Lechleuthner A., 153

SUBJECT INDEX

a β_2-adrenergic agonist
clenbuterol, muscle wasting, scald injury, rat, 26
acid–base alterations
corticotropin releasing factor (CRF), bacterial translocation, murine model of thermal injury, 302
acquired tracheo-oesophageal fistula
tracheal intubation, 360
acute adrenal insufficiency
burn intensive care unit, 63
acute colonic pseudo-obstruction, 538
adipofascial turn-over flaps, 73
alkaline skin injuries
subcutaneous tissue pH, effects of washing, 320
allogenic microskin
grafting, rabbits' skin wounds, 208
allograft overlay
postage stamp skin grafts, modified Meek technique, 142
Americans with Disabilities Act
burn survivors, 531
Andalusia (Spain)
ember burns, 220
arterial embolization
Curling's ulcer, in a burn patient, 447
assault
hot water, 426
automatic disposable rotating cartridge
skin staplers, 159
bacterial translocation
corticotropin releasing factor (CRF), acid–base alterations, murine model of thermal injury, 302
boating accidents
burn injuries, 229
body part affected
case-fatality rates, hospitalized burns, 387
bone and joint changes, 227
broad spectrum antibiotic
mupirocin, *in vitro* model, infected skin, 392
burn care team, 490
burn centre
management, toxic epidermal, necrolysis, 411
burn depth assessment
new laser doppler scanner, 485
burn epidemiology
the Pink City scene, 47
burn hazard to the elderly
entrapment against hot radiators, 522
burn injuries
boating accidents, 229
burn intensive care unit
acute adrenal insufficiency, 63
burn patient
arterial embolization, Curling's ulcer, 447
burn plus inhalation injury plus pancreatitis, 444
burn scar
malignant fibrous histiocytoma, ear, 241
burn scar tissue
orally administered antimicrobial agent, granulation tissue, 529
burn survivors
Americans with Disabilities Act, 531
burn trauma
inositol phosphates, cAMP, signal transduction mechanisms, 313
burn victims
major disaster, caregivers, 105
burned Chinese adults
calorie requirements, 146
burned children
staphylococcal toxaemia, 22
burns
gastro intestinal problems 423
disabled, 192
pregnancy, 166
burns in Madras
India, 339
burns surgery
cross matched blood, 524
burns unit
psychiatrist, 43
butter
treatment, hot tar burns, 437
c3 alleles
scar hypertrophy, 297
cAMP
inositol phosphates, signal transduction mechanisms, burn trauma, 313
calorie requirements
burned Chinese adults, 146
calvarium
electrical burns, 138
Candida albicans
osteomyelitis, 174
caregivers
burn victims, major disaster, 105
case-fatality rates
body part affected, hospitalized burns, 387
catecholamines
oxidative phosphorylation, coupling, rat-liver mitochondria, 110
CD4/CD8 lymphocyte ratio
prognostic value, 198
cell-free pig dermis
human keratinocytes, 118
cell-mediated immunity
skin allografts, cyclosporin immunosuppression, 215
cement manufacturing kiln
thermal and inhalation injury, 232
central Finland
paediatric burns, 418
chemical burn
soda lime, 358
chemical injury 516
childhood
thermal injuries, New Zealand, 371
childhood thermal injuries
epidemiology, Enugu, Nigeria, 223
clenbuterol
a β_2-adrenergic agonist, muscle wasting, scald injury, rat, 26
clinical and demographic profile
ocular chemical burns, 67
collagen gels
cryopreservation, cultured dermal fibroblast, impregnated, 406
computer simulation (BET)
resuscitation therapy, 324
computer simulation (BET)
resuscitation therapy, 332
contact with overhead electric cables
electrical burns, fishing rod, fishermen, 535
conventional dressing
topical phenytoin, split thickness skin autograft donor sites, polyurethane membrane drape, 306
corticotropin releasing factor (CRF)
acid-base alterations, bacterial translocation, murine model of thermal injury, 302
cost
extensive burn survival, 235
coupling
catecholamines, oxidative phosphorylation, rat-liver mitochondria, 110
cross matched blood
burns surgery, 524
cryopreservation
cultured dermal fibroblast, impregnated, collagen gels, 406
cryopreservation, impregnated, collagen gels, 406
Curvularia species
invasive burn wound infection, 77
Curling's ulcer
arterial embolization, in a burn patient, 447
cyclosporin
prolonged allograft survival, 70
cyclosporin immunosuppression
skin allografts, cell-mediated immunity, 215
cytokine levels
skin graft donor site, 401
dehydration and healing of burn wounds, 511
diaphragm polyinostol phosphates, 35
disabled
burns, 192
domestic heating radiators
scalds, 415
ear
malignant fibrous histiocytoma, burn scar, 241
early burn wound treatment
intravenous, Pluronic F-127, 187
Ecstasy
Whizz, major burn plus complications, 239
effects of washing
alkaline skin injuries, subcutaneous tissue pH, 320
electrical burn
portable aluminium ladders, overhead power lines, 441
calvarium, 138
fishing rod, contact with overhead electric cables, fishermen, 535
ember burns
Andalusia (Spain), 220
entrapment against hot radiators
burn hazard to the elderly, 522
Enugu, Nigeria
epidemiology, childhood thermal injuries, 223
epidemiology
childhood thermal injuries, Enugu, Nigeria, 223
Exosurf
wood smoke, inhalation injury, 396
extended survival
skin xenografts, general immunosuppression, systemic toxicity, 289
extensive burn survival
cost, 235
feeding in severely burned patients
thermogenic response, resting metabolic rate, 467
femoral mycotic aneurysms
iatrogenic bilateral, 83
fishermen
electrical burns, fishing rod, contact with overhead electric cables, 535
fishing rod
electrical burns, contact with overhead electric cables, fishermen, 535
free flap necrosis
self-inflicted burn, 244
free pedicled superficial cervical artery skin flaps
head and neck burns, 168
gastrointestinal haemorrhage, 150
gastrointestinal problems
in burns, 423
general immunosuppression
extended survival, skin xenografts, systemic toxicity, 289
grafting
allogenic microskin, rabbits' skin wounds, 208
Granuflex 'E' dressings, 128
granulation tissue
orally administered antimicrobial agent, burn scar tissue, 529
head and neck burns
free pedicled superficial cervical artery skin flaps, 168

hepatic lactate metabolism, 475
hospital infection
  surveillance of a burns ward, 52
hospitalized burns
  case-fatality rates, body part affected, 387
hot tar burns
  butter, treatment, 437
hot water
  assault, 426
human
  postburn oedema, impression method, 479
human keratinocyte culture
  thermolysin, 99
human keratinocytes
  cell-free pig dermis, 118
human leucocyte
  surface antigen expression, neutrophil respiratory burst activity, 5
hypertrophic scars
  pressure treatment, keloids, 17
iatrogenic bilateral
  femoral mycotic aneurysms, 83
impregnated
  cryopreservation, cultured dermal fibroblast, collagen gels, 406
impression method
  human, postburn oedema, 479
in vitro model
  broad spectrum antibiotic, mupirocin, infected skin, 392
India
  burns in Madras, 339
infected skin
  broad spectrum antibiotic, mupirocin, *in vitro* model, 392
infection and antibiotic therapy
  Milan, Italy, 345
inhalation injury
  Exosurf, wood smoke, 396
inositol phosphates
  cAMP, signal transduction mechanisms, burn trauma, 313
intravenous
  Pluronic F-127, early burn wound treatment, 187
invasive burn wound infection
  curvularia species, 77
keloids
  pressure treatment, hypertrophic scars, 17
Koebner's phenomenon, 249
Kupffer cell activation
  pseudomonas exotoxin A, 12
laser therapy
  ultraviolet radiation, para-aminobenzoic acid, 113
low voltage burns
  very deep burns of the hand, 450
major burn plus complications
  Ecstasy, Whizz, 239
major disaster
  burn victims, caregivers, 105
malignant fibrous histiocytoma
  burn scar, ear, 241
management
  toxic epidermal, necrolysis, burn centre, 411
Milan, Italy
  infection and antibiotic therapy, 345
modified Meek technique
  postage stamp skin grafts, allograft overlay, 142
mupirocin
  broad spectrum antibiotic, in vitro model, infected skin, 392
murine model of thermal injury
  corticotropin releasing factor (CRF), acid-base alterations, bacterial translocation, 302
muscle wasting
  clenbuterol, a β_2-adrenergic agonist, scald injury, rat, 26
myocardial [3H]polyinositol phosphates, 379
necrolysis
  management, toxic epidermal, burn centre, 411
neutrophil respiratory burst activity
  human leucocyte, surface antigen expression, 5
New Zealand
  childhood, thermal injuries, 371
new laser doppler scanner
  burn depth assessment, 485
ocular chemical burns
  clinical and demographic profile, 67
oedema formation
  platelet activating factor antagonist, 202
oral plastic splint, 131
orally administered antimicrobial agent
  burn scar tissue, granulation tissue, 529
osteomyelitis
  Candida albicans, 174
overhead power lines
  electrical burn, portable aluminium ladders, 441
oxidative phosphorylation
  catecholamines, coupling, rat-liver mitochondria, 110
paediatric burns
  central Finland, 418
para-aminobenzoic acid
  laser therapy, ultra-violet radiation, 113
80 per cent TBSA burns
  reconstructive management, 429
plasma tumour necrosis factor-α (TNF-α), 124
platelet activating factor antagonist
  oedema formation, 202
Pluronic F-127
  intravenous, early burn wound treatment, 187
polymicrobial sepsis, 434
polyurethane membrane drape
  topical phenytoin, split thickness skin autograft donor sites, conventional dressing, 306
portable aluminium ladders
  electrical burn, overhead power lines, 441
postage stamp skin grafts
  modified Meek technique, allograft overlay, 142
postburn oedema
  human, impression method, 479
postburn peroneal nerve palsy, 246
practical, psychological and social implications
  young scarred children, thermal injury, pre-school child, 507
pre-school child
  young scarred children, practical, psychological and social implications, thermal injury, 507
pregnancy
  burns, 166
pressure treatment
  hypertrophic scars, keloids, 17
prognostic value
  CD4/CD8 lymphocyte ratio, 198
prolonged allograft survival
  cyclosporin, 70
pseudomonas exotoxin A
  Kupffer cell activation, 12
psychiatric patient
  specific pattern burn, 439
psychiatrist
  burns unit, 43
rabbits' skin wounds
  allogenic microskin, grafting, 208
rat
  clenbuterol, a β_2-adrenergic agonist, muscle wasting, scald injury, 26
rat-liver mitochondria
  catecholamines, oxidative phosphorylation, coupling, 110
reconstructive management
  80 per cent TBSA burns, 429
resting metabolic rate
  thermogenic response, feeding in severely burned patients, 467
resuscitation therapy
  computer simulation (BET), 324, 332
scald injury
  clenbuterol, a β_2-adrenergic agonist, muscle wasing, rat, 26
scalds
  domestic heating radiators, 415
scar hypertrophy
  c3 alleles, 297
self-inflicted burn
  free flap necrosis, 244
severe electrical injury
  stomach, 80
signal transduction mechanisms
  inositol phosphates, cAMP, burn trauma, 313
skin allografts
  cyclosporin immunosuppression, cell-mediated immunity, 215
skin graft donor site
  cytokine levels, 401
skin staplers
  automatic disposable rotating cartridge, 159
skin substitute
  tissue cultured sliced dermis, 283
skin xenografts
  extended survival, general immunosuppression systemic toxicity, 289
soda lime
  chemical burn, 358
specific pattern burn
  psychiatric patient, 439
split thickness skin autograft donor sites
  topical phenytoin, polyurethane membrane drape, conventional dressing, 306
staphylococcal toxaemia
  burned children, 22
stomach
  severe electrical injury, 80
stressors, supports and coping strategies, 349
subcutaneous tissue pH
  alkaline skin injuries, effects of washing, 320
surface antigen expression
  human leucocyte, neutrophil respiratory burst activity, 5
surveillance of a burns ward
  hospital infection, 52
systemic toxicity
  extended survival, skin xenografts, general immunosuppression, 289
the Pink City scene
  burn epidemiology, 47
thermal and inhalation injury
  cement manufacturing kiln, 232
thermal injuries
  childhood, New Zealand, 371
thermal injury
  young scarred children, practical psychological and social implications, pre-school child, 507
thermogenic response
  feeding in severely burned patients, resting metabolic rate, 467
thermolysin
  human keratinocyte culture, 99
tissue cultured sliced dermis
  skin substitute, 283
topical phenytoin
  split thickness skin autograft donor sites, polyurethane membrane drape, conventional dressing, 306
toxic epidermal
  management, necrolysis, burn centre, 411
tracheal intubation
  acquired tracheo-oesophageal fistula, 360
treatment
  butter, hot tar burns, 437
ultraviolet radiation
  laser therapy, para-aminobenzoic acid, 113
upper airway obstruction, 85
very deep burns of the hand
  low voltage burns, 450
Whizz
  Ecstasy, major burn plus complications, 239
wood smoke
  Exosurf, inhalation injury, 396
young scarred children
  practical psychological and social implications, thermal injury, pre-school child, 507